
34
Wide area network
10
Power Source
24
CPU
22
Communications Circuitry
20
30
36
32
26
28
12
Controller
14
Operating System
40
File system
42
User Interface
104
Expert System
100
Explanation System
112
Inference Engine
106
Profile
116
Knowledge-Base editor
114
Computational process 1
118-1
Computational process Q
118-Q
Method / filter 1
130-1
Weight 1
132-2
Method / filter N
130-N
Weight N
132-N
Case-specific Data
110
Knowledge Base
108
Rule 1
120-1
Rule N
120-N
Substitution matrix 1
122-1
Substitution matrix P
122-P
Conservation indices
124
Mutation effect data
126
Structural information
128

Fig. 1


Selection of antibody with some initial binding (step 1)
Initial design
a) Identify positions where substitution is acceptable and choose substitution s to explore. (step 2)
b) Design an initial small set of variants using experimental design methods. (step 3)
Optionally add new substitutions from step 02 for inclusion in the new variant set
Synthesize and test antibody variant set for target binding and viral neutralizing activity. (step 4)
Propose a new variant set based on the model. (step 7)
Modify initial selection parameters based on performance (Step 09)
Iterate
End-point reached
Derive sequence –activity relationships (step 5)
Combine results from different sequence-function models. (step 6)
Select the best variant(s) (step 8). Use sequences and activities of these variants to modify algorithms used for substitution selection (step 9) and sequence-function modeling. (step 10)
Modify methods for combining different sequence-function models based on performance (Step 10)

Figure 2


Select initial candidate antibody sequence(s)
A: Substitutions from homologous sequences in framework & CDR
• Identify framework sequences within a defined evolutionary distance (PAM units)
• Reconstruct phylogenetic tree for framework region only
RULE 1a:
• Select a defined number of framework residues that have undergone advantageous change
RULE 2a:
• Select defined number of framework and defined number of CDR positions with highest mutability index
RULE 3a:
• Select all amino acid substitutions from sequences in the same Chothia class
SCORE:: Weighted value for each rule satisfied
B: Substitutions from homologous structures
• Superpose homologous structures from PDB
RULE 1b:
• Calculate ΔG change for all single substitutions
• Select changes with <a defined value Kcal/mol change in free energy
RULE 2b:
• Estimate mean RMSD for every window of a defined number of residues
• Select framework sites with an RMSD greater than a defined value
RULE 3b:
• Identify changes found in homologous sequences
• Select framework varying sites within a defined distance from CDR
SCORE:: Weighted value for each rule satisfied
C: Substitutions from substitution matrices
• Calculate substitution matrix for all framework regions and canonical classes, rank all possible single substitutions for favorability
RULE 1c:
• Select highest scoring substitutions for each matrix
RULE 2c:
• Rank all possible single substitutions for favorability using a universal substitution matrix
• Select highest scoring positions
SCORE: Weighted value for each rule satisfied
D: Substitutions from PCA analysis
• Determine principal components of sequence variation in alignment of homologs
RULE 1d:
• Group CDRs based on PCA of amino acid sequences in the CDR.
• Select highest scoring CDR positions that differentiate antibody sequences by function
RULE 2d:
• Group CDR positions based on observed amino acid frequencies at each site
• Rank the groups based on contributions to one or more principal components
• Select the top groups of sites to vary.
SCORE: Weighted value for each rule satisfied
E: Substitutions from Binding pocket Analysis
RULE 1e:
• Select sites based where physico-chemical properties of residues are conserved in the pocket
RULE 2e:
• Select CDR changes derived from evolutionary models to correlate properties of amino acids.
SCORE: Weighted value for each rule satisfied

Figure 3

A: Calculate average weight vectors:

a) Build sequence-function model from data in which rows (sequence + function) and/or columns (substitutions) are randomly omitted. Calculate weight vectors.

b) Repeat 1,000 times.

c) Calculate average values and standard deviations for weight vectors and rank in order of importance.

Figure 4



Figure 5

E coli leader peptide

```
-20         -10      -1
MKKLLFAIPL VVPFYSHSTM   (SEQ ID NO.: 1)
```

Proteinase K

```
1           11           21           31           41
APAVEQRSEA APLIEARGEM VANKYIVKFK EGSALSALDA AMEKISGKPD

51          61           71           81           91
HVYKNVFSGF AATLDENMVR VLRAHPDVEY IEQDAVVTIN AAQTNAPWGL

101         111          121          131          141
ARISSTSPGT STYYYDESAG QGSCVYVIDT GIEASHPEFE GRAQMVKTYY

151         161          171          181          191
YSSRDGNGHG THCAGTVGSR TYGVAKKTQL FGVKVLDDNG SGQYSTIIAG

201         211          221          231          241
MDFVASDKNN RNCPKGVVAS LSLGGGYSSS VNSAAARLQS SGVMVAVAAG

251         261          271          281          291
NNNADARNYS PASEPSVCTV GASDRYDRRS SFSNYGSVLD IFGPGTSILS

301         311          321          331          341
TWIGGSTRSI SGTSMATPHV AGLAAYLMTL GKTTAASACR YIADTANKGD

351         361          371
LSNIPFGTVN LLAYNNYQAV DHHHHHH  (SEQ ID NO.: 2)
```

Figure 6

```
-60         -50         -40         -30         -20         -10       -1
atgaaaaaac tgctgttcgc gattccgctg gtggtgccgt tctatagcca tagcaccatg

1           11          21          31          41          51
GCACCGGCCG TTGAACAGCG TTCTGAAGCA GCTCCTCTGA TTGAGGCACG TGGTGAAATG

61          71          81          91          101         111
GTAGCAAACA AGTACATCGT GAAGTTCAAG GAGGGTTCTG CTCTGTCTGC TCTGGATGCT

121         131         141         151         161         171
GCTATGGAAA AGATCTCTGG CAAGCCTGAT CACGTCTATA AGAACGTGTT CAGCGGTTTC

181         191         201         211         221         231
GCAGCAACTC TGGACGAGAA CATGGTCCGT GTACTGCGTG CTCATCCAGA CGTTGAATAC

241         251         261         271         281         291
ATCGAACAGG ACGCTGTGGT TACTATCAAC GCGGCACAGA CTAACGCACC TTGGGGTCTG

301         311         321         331         341         351
GCACGTATTT CTTCTACTTC CCCGGGTACG TCTACTTACT ACTACGACGA GTCTGCCGGT

361         371         381         391         401         411
CAAGGTTCTT GCGTTTACGT GATCGATACG GGCATCGAGG CTTCTCATCC TGAGTTTGAA

421         431         441         451         461         471
GGCCGTGCAC AAATGGTGAA GACCTACTAC TACTCTTCCC GTGACGGTAA TGGTCACGGT

481         491         501         511         521         531
ACTCATTGCG CAGGTACTGT TGGTAGCCGT ACCTACGGTG TTGCTAAGAA AACGCAACTG

541         551         561         571         581         591
TTCGGCGTTA AAGTGCTGGA CGACAACGGT TCTGGTCAGT ACTCCACCAT TATCGCGGGT

601         611         621         631         641         651
ATGGATTTCG TAGCGAGCGA TAAAAACAAC CGCAACTGCC CGAAAGGTGT TGTGGCTTCT

661         671         681         691         701         711
CTGTCTCTGG GTGGTGGTTA CTCCTCTTCT GTTAACAGCG CAGCTGCACG TCTGCAATCT

721         731         741         751         761         771
TCCGGTGTCA TGGTCGCAGT AGCAGCTGGT AACAATAACG CTGATGCACG CAACTACTCT

781         791         801         811         821         831
CCTGCTAGCG AGCCTTCTGT TTGCACCGTG GGTGCATCTG ATCGTTATGA TCGTCGTAGC

841         851         861         871         881         891
TCCTTCAGCA ACTATGGTTC CGTCCTGGAT ATCTTCGGCC CTGGTACTTC TATCCTGTCT
```

Figure 7A

```
901         911         921         931         941         951
ACCTGGATTG GCGGTAGCAC TCGTTCCATT TCCGGTACGA GCATGGCTAC TCCACATGTT

961         971         981         991         1001        1011
GCTGGTCTGG CAGCATACCT GATGACCCTG GGTAAGACCA CTGCTGCATC CGCTTGTCGT

1021        1031        1041        1051        1061        1071
TACATCGCGG ATACTGCGAA CAAAGGCGAT CTGTCTAACA TCCCGTTCGG CACCGTTAAT

1081        1091        1101        1111        1121        1131
CTGCTGGCAT ACAACAACTA TCAGGCTgtc gaccatcatc atcatcatca tag
```

(SEQ ID NO.: 3)

Figure 7B

gi|19171215|emb|CAD20578.1|/89
gi|19171217|emb|CAD20579.1|/1-
gi|19171219|emb|CAD20580.1|/1-
gi|19171221|emb|CAD20581.1|/1-
gi|16215662|emb|CAC95042.1|/90
gi|16506136|dbj|BAB70705.1|/78
gi|16506134|dbj|BAB70704.1|/78
gi|16506140|dbj|BAB70707.1|/78
gi|16215677|emb|CAC95049.1|/90
gi|117631|sp|P29138|CUDP_METAN
gi|6624958|emb|CAB63911.1|/90-
gi|16215669|emb|CAC95045.1|/90
gi|460032|gb|AAA91584.1|/84-36
gi|6634475|emb|CAB64346.1|/87-
gi|16215664|emb|CAC95043.1|/87
gi|2351388|gb|AAC49831.1|/86-3
gi|8671180|emb|CAB95012.1|/85-
gi|16215666|emb|CAC95044.1|/85
gi|16215671|emb|CAC95046.1|/85
gi|4092486|gb|AAC99421.1|/64-2
gi|18542429|gb|AAL75579.1|AF46
SUTIKA/91-367
gi|131077|sp|P06873|PRTK_TRIAL
gi|230675|pdb|2PRK|/1-277
gi|494434|pdb|1PEK|E/1-277
gi|224977|prf||1205229A/1-275
gi|14278658|pdb|1IC6|A/1-277
gi|131084|sp|P23653|PRTR_TRIAL
gi|4761119|gb|AAD29255.1|AF104
gi|14626933|gb|AAK70804.1|/81-
gi|639712|gb|AAC48979.1|/83-34
gi|742825|prf||2011184A/84-362
gi|628051|pir||JC2142/84-362
gi|15808791|gb|AAL08502.1|AF41
gi|15808805|gb|AAL08509.1|AF41
gi|28918475|gb|EAA28148.1|/90-
gi|10181226|gb|AAC27316.2|/92-
gi|131088|sp|P20015|PRTT_TRIAL
gi|9971109|emb|CAC07219.1|/86-
gi|7543916|emb|CAB87194.1|/89-
gi|5813790|gb|AAD52013.1|AF082
gi|23894244|emb|CAD23614.1|/11
gi|22652141|gb|AAN03634.1|AF40
gi|24528136|emb|CAD24010.1|/10
gi|24528132|emb|CAD24008.1|/10
A35742./126-403
gi|114081|sp|P08594|AQL1_THEAQ
AAA82980./129-408
gi|15640187|ref|NP_229814.1|/1
AAA22247./107-381

Figure 8



Figure 9



Figure 10



Figure 11

Residue	PC1 contrib.	PC2 contrib.	PC1+2 contrib.
15D	-0.0881	-0.0803	-0.1684
18D	-0.0881	-0.0803	-0.1684
19Q	-0.0881	-0.0803	-0.1684
22L	-0.0881	-0.0803	-0.1684
23P	-0.0881	-0.0803	-0.1684
65Y	-0.0881	-0.0803	-0.1684
66D	-0.0881	-0.0803	-0.1684
110R	-0.0881	-0.0803	-0.1684
137P	-0.0881	-0.0803	-0.1684
164D	-0.0881	-0.0803	-0.1684
189C	-0.0881	-0.0803	-0.1684
198R	-0.0881	-0.0803	-0.1684
8P	-0.0772	-0.0777	-0.1549
34T	-0.0772	-0.0777	-0.1549
67A	-0.0772	-0.0777	-0.1549
75Q	-0.0772	-0.0777	-0.1549
161T	-0.0772	-0.0777	-0.1549
199V	-0.0772	-0.0777	-0.1549
167V	-0.0899	-0.0589	-0.1488
21D	-0.0733	-0.0657	-0.1390
169N	-0.0613	-0.0746	-0.1359
134H	-0.0675	-0.0664	-0.1339

Figure 12

Variation	Score	Primary contribution to score
N95C	5	Structural stability at higher temperature: from published literature
P97S	3	P to S for flexibility and structural perturbabtion
S107D	5	from active homologs
S123A	7	Thermostable consensus
E138A	5	From experiments in literature
M145F	5	From experiments to improve thermostability
Y151A	8	From experiments to improve thermostability
V167I	10	Allow user specified conservative changes (controlled perturbation)
L180I	10	Allow user specified conservative changes (controlled perturbation)
Y194S	10	Varaiation observed in highly active clone from our initial exp.
A199S	8	Allow user specified conservative changes (controlled perturbation)
K208H	7	PCA modelling of homologs collected from GenBank.
A236V	7	PCA modelling of homologs collected from GenBank.
R237N	5	From experiments to improve thermostability (in literature)
P265S	3	P to S for flexibility and structural perturbabtion
V267I	10	Allow user specified conservative changes (controlled perturbation)
S273T	15	Multiple sources identify this change. (thermostability and other)
G293A	8	For thermostability considerations (observed in thermitases)
L299C	5	For disulphide bridges with N95C (from literature)
I310K	5	from structural studies
K332R	8	for thermostability considerations (observed in thermitases)
S337N	8	for thermostability considerations (observed in thermitases)
P355S	3	P to S for flexibility and structural perturbabtion

Figure 13

variant-1: 123, 151, 293, 310, 332, 355
variant-2: 95, 145, 167, 199, 237, 273
variant-3: 97, 138, 180, 194, 236, 267
variant-4: 107, 132, 208, 265, 299, 337
variant-5: 123, 145, 151, 167, 273, 337
variant-6: 97, 107, 180, 236, 237, 310
variant-7: 123, 138, 199, 208, 265, 355
variant-8: 95, 194, 267, 293, 299, 332
variant-9: 95, 132, 138, 145, 167, 208
variant-10: 236, 237, 273, 293, 332, 355
variant-11: 97, 123, 265, 299, 310, 337
variant-12: 107, 151, 180, 194, 199, 267
variant-13: 95, 107, 123, 180, 194, 337
variant-14: 138, 151, 167, 199, 208, 299
variant-15: 97, 145, 237, 273, 293, 310
variant-16: 132, 236, 265, 267, 332, 355
variant-17: 97, 151, 199, 236, 299, 355
variant-18: 95, 107, 167, 180, 293, 310
variant-19: 145, 237, 265, 267, 332, 337
variant-20: 123, 132, 138, 194, 208, 273
variant-21: 123, 208, 236, 267, 293, 299
variant-22: 107, 132, 138, 145, 337, 355
variant-23: 97, 180, 194, 199, 265, 310
variant-24: 95, 151, 167, 237, 273, 332

Figure 14

Variant #	Changes	Reasons
variant-25	95	Confirm detrimental effect on enzyme
variant-26	97	Confirm detrimental effect on enzyme
variant-27	138	Confirm detrimental effect on enzyme
variant-28	208	Confirm detrimental effect on enzyme
variant-29	236	Confirm detrimental effect on enzyme
variant-30	237	Confirm detrimental effect on enzyme
variant-31	265	Confirm detrimental effect on enzyme
variant-32	299	Confirm detrimental effect on enzyme
variant-33	107, 123, 145	New combinations of positive changes
variant-34	151, 167, 180	New combinations of positive changes
variant-35	194, 199, 267	New combinations of positive changes
variant-36	273, 293, 310	New combinations of positive changes
variant-37	332, 337, 355	New combinations of positive changes
variant-38	107, 151, 194, 273, 332	New combinations of positive changes
variant-39	123, 167, 199, 293, 337	New combinations of positive changes
variant-40	145, 180, 267, 310, 355	New combinations of positive changes
variant-41	107, 167, 267, 273, 337	New combinations of positive changes
variant-42	123, 180, 194, 293, 355	New combinations of positive changes
variant-43	145, 151, 199, 310, 332	New combinations of positive changes
variant-44	145, 167, 194	New combinations of positive changes
variant-45	180, 199, 273	New combinations of positive changes
variant-46	267, 293, 332	New combinations of positive changes
variant-47	310, 337, 107	New combinations of positive changes
variant-48	355, 123, 151	New combinations of positive changes

Figure 15

Sequence changes			Variants																
Position	WT	Mut	10	12	13	14	15	19	20	21	22	23	24	25	26	27	29	30	31
25	Y	H											H						
34	A	S													S				
48	K	E																	
50	D	N								N									
55	N	S												S					
63	T	S																	
88	T	I																	
95	N	C																	
97	P	S																	
107	S	D				D												D	D
123	S	A		A															
132	I	V			V														
138	E	A																	
145	M	F			F														
151	Y	A		A	A	A						A	A	A				A	A
167	V	I			I							I	I	I					
180	L	I				I						I	I	I					
194	Y	S	S			S									S			S	S
199	A	S				S									S				
208	K	H						H											
209	N	K																	
233	S	N																	
236	A	V																	
237	R	N					N		N	N									
265	P	S									S								
267	V	I				I									I				
273	S	T			T		T									T		T	T
293	G	A		A			A									A			
299	L	C																	
310	I	K		K												K			
332	K	R		R			R										R	R	R
337	S	N			N												N		
355	P	S		S			S										S		
362	L	M							M										
363	A	V										V							
369	A	V																	

Figure 16A

Sequence changes			Variants															
Position	WT	Mut	32	33	35	36	37	38	39	40	41	42	43	45	46	47	48	49	50
25	Y	H																	
34	A	S																	
48	K	E																	
50	D	N																	
55	N	S																	
63	T	S																	
88	T	I														I			
95	N	C																	
97	P	S																	
107	S	D			D							D							
123	S	A	A	A		A	A						A						
132	I	V																	
138	E	A																	
145	M	F						F											
151	Y	A											A			A	A	A	A
167	V	I	I	I	I			I								I	I	I	I
180	L	I				I	I		I							I	I	I	I
194	Y	S				S	S	S											
199	A	S	S	S					S										
208	K	H																	
209	N	K																	
233	S	N																	
236	A	V																	
237	R	N												N	N				
265	P	S																	
267	V	I			I					I	I								
273	S	T			T				T										
293	G	A	A	A		A	A			A	A								
299	L	C																	
310	I	K										K							
332	K	R								R	R								
337	S	N	N	N	N							N							
355	P	S				S	S						S						
362	L	M																	
363	A	V						V											
369	A	V												V					

Figure 16B

Sequence changes			Variants											
Position	WT	Mut	N2	N3	N4	N6	N7	N8	N9	N10	N11	N13	N14	N15
25	Y	H												
34	A	S												
48	K	E												
50	D	N												
55	N	S												
63	T	S												
88	T	I												
95	N	C	C					C	C			C		
97	P	S		S		S					S			S
107	S	D			D	D						D		
123	S	A					A				A	A		
132	I	V			V				V					
138	E	A		A			A		A				A	
145	M	F	F						F					F
151	Y	A											A	
167	V	I	I						I				I	
180	L	I		I		I						I		
194	Y	S		S				S				S		
199	A	S	S				S						S	
208	K	H			H		H		H				H	
209	N	K												
233	S	N												
236	A	V		V		V				V				
237	R	N	N			N				N				N
265	P	S			S		S				S			
267	V	I		I				I						
273	S	T	T							T				T
293	G	A						A		A				A
299	L	C			C			C			C		C	
310	I	K				K					K			K
332	K	R						R		R				
337	S	N			N						N	N		
355	P	S					S			S				
362	L	M												
363	A	V												
369	A	V												

Figure 16C

Sequence changes			Variants															
Position	WT	Mut	N16	N17	N18	N19	N20	N21	N22	N23	N24	N25	N26	N27	N28	N30	N33	N40	N43
25	Y	H																	
34	A	S																	
48	K	E																	
50	D	N																	
55	N	S																	
63	T	S																	
88	T	I																	
95	N	C			C						C	C							
97	P	S		S						S			S	S					
107	S	D			D				D								D		
123	S	A					A	A									A		
132	I	V	V				V		V										
138	E	A					A		A						A				
145	M	F				F			F								F	F	F
151	Y	A		A							A								A
167	V	I			I						I								
180	L	I			I					I								I	
194	Y	S					S			S				S					
199	A	S		S						S									S
208	K	H					H	H											
209	N	K																	
233	S	N																	
236	A	V	V	V				V								V			
237	R	N				N					N								
265	P	S	S			S				S									
267	V	I	I			I		I										I	
273	S	T					T				T								
293	G	A			A			A											
299	L	C		C				C					C	C					
310	I	K			K					K								K	K
332	K	R	R			R					R								R
337	S	N				N			N										
355	P	S	S	S					S									S	
362	L	M																	
363	A	V																	
369	A	V																	

Figure 16D

Sequence changes			Variants																
Position	WT	Mut	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63
25	Y	H																	
34	A	S																	
48	K	E																	
50	D	N																	
55	N	S																	
63	T	S																	
88	T	I	I																
95	N	C																	
97	P	S																	
107	S	D																	
123	S	A																	
132	I	V																	
138	E	A																	
145	M	F																	
151	Y	A	A	A	A	A													
167	V	I	I	I	I	I							I	I			I	I	I
180	L	I	I	I	I	I													
194	Y	S					S	S	S	S									
199	A	S					S	S	S	S									
208	K	H									H	H							
209	N	K									K								
233	S	N											N						
236	A	V																	
237	R	N													N	N	N	N	N
265	P	S																	
267	V	I					I	I	I	I	I	I	I	I	I	I			I
273	S	T																	
293	G	A									A	A	A	A	A	A	A	A	A
299	L	C																	
310	I	K																	
332	K	R									R	R	R	R	R	R	R	R	R
337	S	N											N	N					N
355	P	S													S	S	S	S	S
362	L	M																	
363	A	V																	
369	A	V																	

Figure 16E

Sequence changes			Variants																
Position	WT	Mut	65	66	67	69	70	71	72	73	74								
25	Y	H																	
34	A	S																	
48	K	E						E											
50	D	N																	
55	N	S																	
63	T	S							S										
88	T	I																	
95	N	C																	
97	P	S																	
107	S	D																	
123	S	A																	
132	I	V																	
138	E	A																	
145	M	F																	
151	Y	A																	
167	V	I	I	I		I	I	I	I										
180	L	I																	
194	Y	S																	
199	A	S																	
208	K	H						H	H	H	H								
209	N	K																	
233	S	N																	
236	A	V																	
237	R	N						N	N										
265	P	S																	
267	V	I	I	I	I	I	I	I	I	I	I								
273	S	T				T	T												
293	G	A	A	A				A	A	A	A								
299	L	C																	
310	I	K																	
332	K	R	R	R	R	R	R	R	R	R	R								
337	S	N			N	N	N	N	N										
355	P	S			S			S	S										
362	L	M																	
363	A	V																	
369	A	V								V	V								

Figure 16F

Variant	y1	y2	y4	y5	y6	y7
wt	0.7526	0.8774	0.7477	1.1850	0.6604	2
wt	1.2316	1.0877	1.2523	0.8150	1.3396	2
wt	1.0822	0.9082	1.0894	1.0850	0.9829	2
wt	0.8904	1.1423	0.9106	0.9158	1.0171	2
10	0.0263	1.7208	0.1682	-0.0125	0.0453	6
12	0.2211	0.1878	0.4486	0.2320	0.0415	2
13	0.0158	1.9119	0.2430	-0.0376	0.0302	1
14	0.0158	2.3899	0.3364	0.0251	0.0377	6
15	1.6789	0.0135	2.3738	1.6176	0.0226	
15	1.3945	0.4917	1.6260	1.2690	0.6857	
19	0.9000	0.9476	1.0280	1.0219	0.8528	1
19	0.6932	1.0442	0.6667	0.8143	0.7238	1
20	1.2737	0.0593	1.5327	1.5172	0.0755	0
20	0.5507	0.0484	0.5203	0.6472	0.0267	0
21	0.1632	0.9251	0.0935	0.1881	0.1509	0
22	0.1947	0.3294	0.1869	0.2884	0.0642	2
23	1.8053	0.0878	3.0280	2.0000	0.1585	3
23	1.6932	0.0900	2.0163	1.6709	0.1524	3
24	0.0579	0.9777	0.0374	0.0627	0.0566	4
25	0.3421	1.4891	0.6168	0.4514	0.5094	6
26	0.0053	10.7547	0.2056	0.0094	0.0566	2
26	0.0521	0.4391	0.0650	0.0127	0.0229	2
27	0.3474	1.3905	0.3178	0.3793	0.4830	1
29	1.4263	0.0079	1.6822	1.6144	0.0113	4
29	1.2740	0.0150	1.7398	1.3431	0.0190	4
30	0.0316	0.9560	0.0935	-0.0251	0.0302	8
31	0.0421	1.2547	0.1121	0.0502	0.0528	6
32	0.7316	1.2792	0.6916	1.0063	0.9358	4
33	0.3263	1.3530	0.5794	0.5235	0.4415	4
35	1.0737	0.1546	1.7009	1.4451	0.1660	1
36	0.0421	0.9858	0.2617	0.0752	0.0415	2
37	0.0316	0.9560	0.0187	-0.0094	0.0302	2
38	0.0053	9.3208	-0.0748	-0.0157	0.0491	0
39	0.2158	1.2416	0.2430	0.3730	0.2679	1
40	1.6737	1.5444	2.5794	2.0031	2.5849	2
40	0.9342	1.4557	0.9593	0.9666	1.3600	2
41	0.9421	1.8906	1.1402	1.2539	1.7811	2
42	0.0474	1.3543	0.0935	0.0784	0.0642	0
43	0.4105	0.1287	0.5794	0.6364	0.0528	4
43	1.0466	0.0109	0.9919	0.6113	0.0114	4
46	0.4466	1.0919	0.3089	0.5245	0.4876	0.5
47	0.6575	0.7763	0.6016	0.8143	0.5105	7
48	0.9370	0.8253	0.9919	1.1168	0.7733	4
51	0.0219	1.5643	-0.0488	0.0127	0.0343	1
55	1.0329	1.4901	1.0569	1.2986	1.5390	5

Figure 17A

Variant	y1	y2	y4	y5	y6	y7
56	1.3178	1.3124	1.5447	1.3198	1.7295	2
57	1.3123	0.9957	1.3496	1.2986	1.3067	3
58	0.9699	0.4635	0.8943	1.0237	0.4495	2
59	0.5260	0.0435	0.2927	0.5753	0.0229	0.5
60	0.5863	0.0325	0.3740	0.6578	0.0190	0.5
61	0.8548	0.0089	0.9268	0.9137	0.0076	0.5
62	0.3041	0.0752	0.2276	0.3574	0.0229	0.5
63	0.9370	0.0447	0.9919	0.9941	0.0419	0.5
65	0.3699	0.3193	0.0976	0.3955	0.1181	2
66	0.9096	0.5445	0.7480	0.9835	0.4952	2
67	0.2932	0.0520	0.1626	0.3194	0.0152	2
69	0.2301	0.2980	0.1951	0.1713	0.0686	2
70	0.5342	0.3066	0.2927	0.6028	0.1638	3
71	0.2411	0.3002	0.2114	0.2686	0.0724	0.5
72	0.4466	0.0427	0.2276	0.4611	0.0190	1
73	0.2219	0.7725	0.1138	0.2390	0.1714	4
74	0.7233	1.1113	0.4715	0.8164	0.8038	4

Figure 17B



Figure 18



Figure 19



Figure 20

Variation position	Casein hydrolysis (y7)	Thermal tolerance (y6)	AAPL-p-NA pH7.0 (y1)
107	D	S	S
123	A	S	S
151	A	Y	A
167	I	V	V
180	I	L	I
194	S	Y	Y
199	S	A	A
208	K	H	K
267	V	I	V
273	T	S	S
293	G	A	A
332	R	R	R

Figure 21


Align Im-1 heavy chain sequence with human germline ig heavy chain sequences from VBase using ClustalW.
A: Substitutions set
RULE 1a:
• Enumerate and classify the substitutions into 2 categories. (i) Substitutions found in the framework region and (ii) substitutions found in the CDR.
• Consider only these susbtitutions (ie RULE 1a is a filter)
B: Substitutions from human germline sequences
• Reconstruct phylogenetic tree
RULE 1b:
• Calculate evolutionary proximity of the closest homolog in which each substitution occurs (EP)
RULE 2b:
• Calculate site heterogeneity at each substitution position (SH)
RULE 3b:
• Calculate entropy at each substitution position (SE)
RULE 4b:
• Calculate number of times a substitution is seen at a position in the set of homologs (SN)
C: Substitutions from substitution matrices
RULE 1c:
• Calculate favorability of each substitution using a PAM100 matrix (SM).
D: Score
Score$_{FW}$ = f(EP) x f(SH) x f(SE) x f(SN) x f(SM)
Score$_{CDR}$ = f'(SE) x f'(SN) x f'(SM)

Figure 22


Align RSV-19 heavy chain sequence with human germline ig heavy chain sequences from VBase using ClustalW.
A: Substitutions set
RULE 1a:
• Enumerate and classify the substitutions into 2 categories. (i) Substitutions found in the framework region and (ii) substitutions found in the CDR.
• Consider only these susbtitutions (ie RULE 1a is a filter)
B: Substitutions from human germline sequences
• Reconstruct phylogenetic tree
RULE 1b:
• Calculate evolutionary proximity of the closest homolog in which each substitution occurs (EP)
RULE 2b:
• Calculate site heterogeneity at each substitution position (SH)
RULE 3b:
• Calculate entropy at each substitution position (SE)
RULE 4b:
• Calculate number of times a substitution is seen at a position in the set of homologs (SN)
C: Substitutions from substitution matrices
RULE 1c:
• Calculate favorability of each substitution using a PAM100 matrix (SM).
D: Score
Score$_{FW}$ = f(EP) x f(SH) x f(SE) x f(SN) x f(SM)
Score$_{CDR}$ = f'(SE) x f'(SN) x f'(SM)

Figure 23

Locus-1-03
Locus-1-08
Locus-1-18
Locus-1-24
Locus-1-45
Locus-1-46
Locus-1-58
Locus-1-69
Locus-1-e
Locus-1-f
Locus-2-26
Locus-2-70
Locus-3-09
Locus-3-11
Locus-3-13
Locus-3-15
Locus-3-20
Locus-3-21
Locus-3-23
Locus-3-30
Locus-3-30.3
Locus-3-30.5
Locus-3-33
Locus-3-43
Locus-3-48
Locus-3-49
Locus-3-53
Locus-3-64
Locus-3-66
Locus-3-72
Locus-3-73
Locus-3-74
Locus-3-d
Locus-4-28
Locus-4-30.1
Locus-4-30.2
Locus-4-30.4
Locus-4-31
Locus-4-34
Locus-4-39
Locus-4-59
Locus-4-61
Locus-4-b
Locus-5-a

Figure 24



Figure 25



Figure 26



Figure 27

Substitutions	PC1 loads
27G	0.1001
29I	0.1094
50I	0.1204
66P	0.1226
93A	0.1229
5Q	0.1259
9P	0.126
15S	0.13
19S	0.13
65N	0.13
83F	0.13
84S	0.13
86K	0.13
42P	0.1317
70S	0.1392

Figure 28

Locus-1-03
Locus-1-08
Locus-1-18
Locus-1-24
Locus-1-45
Locus-1-46
Locus-1-58
Locus-1-69
Locus-1-e
Locus-1-f
Locus-2-26
Locus-2-70
Locus-3-09
Locus-3-11
Locus-3-13
Locus-3-15
Locus-3-20
Locus-3-21
Locus-3-23
Locus-3-30
Locus-3-30.3
Locus-3-30.5
Locus-3-33
Locus-3-43
Locus-3-48
Locus-3-49
Locus-3-53
Locus-3-64
Locus-3-66
Locus-3-72
Locus-3-73
Locus-3-74
Locus-3-d
Locus-4-28
Locus-4-30.1
Locus-4-30.2
Locus-4-30.4
Locus-4-31
Locus-4-34
Locus-4-39
Locus-4-59
Locus-4-61
Locus-4-b
Locus-5-a

Figure 29



Figure 30



Figure 31



Figure 32

Substitutions	PC1 Loads
82Q	-0.1507
68L	-0.1452
39I	-0.1421
70S	-0.1421
28S	-0.135
5Q	-0.1344
15S	-0.1344
19S	-0.1344
65N	-0.1344
83F	-0.1344
84S	-0.1344
86K	-0.1344
66P	-0.1303
50I	-0.1281
9P	-0.128

Figure 33